




**Forschungszentrum Karlsruhe**  
in der Helmholtz-Gemeinschaft



**GridKa-CA**

Certificate Policy  
and  
Certification Practice Statement

Version 1.4

July 2007

# Inhaltsverzeichnis

1 Introduction .....	5
1.1 Overview.....	5
1.1.1 General Definitions.....	5
1.2 Identification.....	6
1.3 Community and Applicability .....	6
1.3.1 Certification Authorities .....	6
1.3.2 Registration Authorities (RA).....	6
1.3.3 End entities .....	6
1.3.4 Applicability .....	6
1.3.5 User Restrictions .....	6
1.4 Contact Details .....	7
2 General Provisions .....	7
2.1 Obligations .....	7
2.1.1 CA Obligations.....	7
2.1.2 RA Obligations.....	7
2.1.3 Subscriber Obligations .....	7
2.1.4 Relying Party Obligations .....	8
2.1.5 Repository Obligations .....	8
2.2 Liability .....	8
2.3 Financial responsibility .....	8
2.4 Interpretation and Enforcement .....	8
2.5 Fees .....	8
2.6 Publication and Repositories .....	8
2.6.1 Publication of CA Information .....	8
2.6.2 Frequency of Publication .....	8
2.6.3 Access Controls .....	8
2.6.4 Repositories .....	9
2.7 Compliance Audit .....	9
2.8 Confidentiality .....	9
2.8.1 Types of information to be kept confidential.....	9
2.8.2 Types of information not considered to be confidential.....	9
2.8.3 Disclosure of certificate revocation/suspension information.....	9
2.8.4 Release to law enforcement officials.....	9
2.8.5 Release as part of civil discovery.....	9
2.8.6 Disclosure upon owner's request.....	9
2.8.7 Other information release circumstances.....	9
2.9 Intellectual Property Rights .....	10
3 Identification and Authentication .....	10
3.1 Initial Registration .....	10
3.1.1 Types of Names .....	10
3.1.1.1 Country.....	10
3.1.1.2 Organization.....	10
3.1.1.3 Organizational Unit.....	10
3.1.1.4 Name (Common Name).....	10
3.1.2 Need for names to be meaningful.....	11
3.1.3 Rules for interpreting various name forms.....	11
3.1.4 Uniqueness of Names .....	11
3.1.5 Name claim dispute resolution procedure.....	11
3.1.6 Recognition, authentication and role of trademarks.....	11
3.1.7 Method to Prove Possession of Private Key.....	11
3.1.8 Authentication of Organization Identity .....	11

3.1.9 Authentication of Individual Identity .....	11
3.2 Routine Rekey .....	12
3.3 Rekey After Revocation .....	12
3.4 Revocation Request .....	12
4 Operational Requirements .....	12
4.1 Certification Application .....	12
4.2 Certificate Issuance.....	12
4.3 Certificate Acceptance .....	12
4.4 Certificate Suspension and Revocation .....	12
4.4.1 Circumstances for Revocation .....	12
4.4.2 Who can request revocation .....	13
4.4.3 Procedure for Revocation Request .....	13
4.4.4 Circumstances for Suspension .....	13
4.4.5 Who can request suspension .....	13
4.4.6 Procedure for suspension request .....	13
4.4.7 Limits on Suspension Period .....	13
4.4.8 CRL Issuance Frequency .....	13
4.4.9 CRL Checking Requirements for Relying Parties .....	13
4.4.10 Online Revocation/status Checking Availability .....	13
4.4.11 Online Revocation Checking Requirements .....	13
4.4.12 Other Forms of Revocation Advertisement .....	13
4.4.13 Requirements for Relying Parties on Other Forms of Revocation Advertisement .....	14
4.4.14 Variations of the Above in Case of Private Key Compromise .....	14
4.5 Security Audit Procedures .....	14
4.5.1 Types of Events Audited .....	14
4.5.2 Processing Frequency of Audit Logs .....	14
4.5.3 Retention Period for Audit Logs .....	14
4.5.4 Protection of Audit Logs .....	14
4.5.5 Backup Procedures .....	14
4.5.6 Accumulation System .....	14
4.5.7 Vulnerability Assessments .....	14
4.6 Records Archival .....	14
4.6.1 Types of Events Recorded.....	14
4.6.2 Retention Period for Archives .....	14
4.6.3 Protection of Archive .....	14
4.6.4 Archive Backup Procedures .....	15
4.6.5 Time-stamping Requirements .....	15
4.6.6 Archive Collection System .....	15
4.6.7 Procedures to Obtain and Verify Archive Information .....	15
4.7 Key Changeover .....	15
4.8 Compromise and Disaster Recovery .....	15
4.9 CA Termination .....	15
5 Physical, Procedural, and Personnel Security Controls .....	15
5.1 Physical Security Controls .....	15
5.1.1 Site Location .....	15
5.1.2 Physical Access .....	15
5.1.3 Power and Air Conditioning .....	15
5.1.4 Water Exposures .....	16
5.1.5 Fire Prevention and Protection .....	16
5.1.6 Media Storage .....	16
5.1.7 Waste Disposal .....	16
5.1.8 Off-site Backup .....	16
5.2 Procedural Controls.....	16
5.3 Personnel Security Controls .....	16

5.3.1	Background Checks and Clearance Procedures for CA Personnel.....	16
5.3.2	Background Checks and Security Procedures for other Personnel.....	16
5.3.3	Training Requirements and Procedures .....	16
5.3.4	Training Period and Retraining Procedures .....	16
5.3.5	Frequency and Sequence of Job Rotation .....	16
5.3.6	Sanctions Against Personnel .....	16
5.3.7	Controls on Contracting Personnel .....	16
5.3.8	Documentation Supplied to Personnel .....	16
6	Technical Security Controls .....	17
6.1	Key Pair Generation and Installation .....	17
6.1.1	Key Pair Generation .....	17
6.1.2	Private Key Delivery to Entity .....	17
6.1.3	Public Key Delivery to Certificate Issuer .....	17
6.1.4	CA Public Key Delivery to Users .....	17
6.1.5	Key Sizes .....	17
6.1.6	Public Key Parameters Generation .....	17
6.1.7	Parameter Quality Checking .....	17
6.1.8	Hardware/software key generation .....	17
6.1.9	Key Usage Purposes .....	17
6.2	Private Key Protection .....	17
6.2.1	Private Key (n out of m) Multi-person Control .....	17
6.2.2	Private Key Escrow .....	17
6.2.3	Private Key Archival and Backup .....	17
6.3	Other Aspects of Key Pair Management .....	18
6.4	Activation Data .....	18
6.5	Computer Security Controls .....	18
6.5.1	Specific Security Technical Requirements .....	18
6.5.2	Computer Security Rating.....	18
6.6	Life Cycle Security Controls .....	18
6.7	Network Security Controls .....	18
6.8	Cryptographic Module Engineering Controls .....	18
7	Certificate and CRL Profile .....	18
7.1	Certificate Profile .....	18
7.1.1	Version Number .....	18
7.1.2	Certificate Extensions .....	18
7.1.3	Algorithm Object Identifiers .....	19
7.1.4	Name Forms .....	19
7.1.5	Name Constraints.....	19
7.1.6	Certificate Policy Object Identifier .....	19
7.1.7	Usage of Policy Constraints Extensions.....	19
7.1.8	Policy Qualifier Syntax and Semantics .....	19
7.2	CRL Profile .....	20
7.2.1	Version .....	20
7.2.2	CRL and CRL Entry Extensions .....	20
8	Specification Administration.....	20
8.1	Specification Change Procedures .....	20
8.2	Publication and Notification Procedures .....	20
8.3	CPS Approval Procedures .....	20
9	Bibliographie.....	20

# 1 Introduction

## 1.1 Overview

This document describes the set of rules and operational practices used by GridKa-CA, the Certification Authority for the Forschungszentrum Karlsruhe in der Helmholtz-Gemeinschaft [1] for all purposes of Grid-Computing, for issuing certificates. This document is based on the structure suggested by the RFC 2527 [2].

### 1.1.1 General Definitions

#### Activation Data

Data values, other than keys, that are required to operate cryptographic modules and that need to be protected (e.g., a PIN, a passphrase )

#### CA - Certification Authority

An authority trusted by one or more users to create and assign public key certificates.

#### Certificates - or Public Key Certificates

A data structure containing the public key of an end entity and some other information, which is digitally signed with the private key of the CA which issued it.

#### CP - Certificate Policy

A named set of rules that indicates the applicability of a certificate to a particular community and /or class of application with common security requirements. For example, a particular certificate policy might indicate applicability of a type of certificate to the authentication of electronic data interchange transactions for the trading of goods within a given price range.

#### CPS - Certification Practice Statement

A statement of the practices which a certification authority employs in issuing certificates.

#### CRL - Certificate Revocation Lists

A CRL is a time stamped list identifying revoked certificates which is signed by a CA and made freely available in a public repository.

#### PKI - Public Key Infrastructure

A term generally used to describe the laws, policies, standards, and software that regulate or manipulate certificates and public and private keys. All of this implies a set of standards for applications that use encryption.

#### Policy Qualifier

Policy-dependent information that accompanies a certificate policy identifier in an X.509 certificate.

#### RA - Registration Authority

An entity that is responsible for identification and authentication of certificate subjects, but does not sign or issue certificates.

#### Relying Party

A recipient of a certificate who acts in reliance on that certificate and/or digital signatures verified using that certificate.

## Subscriber

For certificates issued to individuals, same as certificate subject. In the case of certificates issued to resources (such as web servers), the person responsible for the certificate for that resource.

Within this document the words „MUST“, „MUST NOT“, „REQUIRED“, „SHALL“, „SHALL NOT“, „SHOULD“, „SHOULD NOT“, „RECOMMENDED“, „MAY“, „OPTIONAL“ are to be interpreted as in RFC 2119 [3].

## **1.2 Identification**

Title: GridKa-CA Certificate Policy (CP) and Certification Practice Statement (CPS).

Version: 1.4

Date: 09.06.2007

OID assigned: 1.3.6.1.4.1.2614.5548.1.1.1.4

Expiration: This document is valid until further notice.

## **1.3 Community and Applicability**

GridKa-CA provides PKI services for members of Forschungszentrum Karlsruhe in general and for the German scientific community such as:

- High energy physics experiments: Alice, Atlas, BaBar, CDF, CMS, COMPASS, D0, LHCb
- International projects: CrossGrid, DataGrid, LHC Computing Grid Project, GridLab, EGEE
- Further institutions of the Helmholtz-Gemeinschaft: DESY, GSI
- German institutes and universities engaged in Grid-projects, a current list can be obtained under <http://grid.fzk.de/ca/orga.html>

### **1.3.1 Certification Authorities**

GridKa-CA doesn't issue certificates to subordinate Certification Authorities at this time.

### **1.3.2 Registration Authorities (RA)**

The GridKa-CA also performs the role of a RA.

Further RA's are operating at different sites of the German scientific community. The current list of further registration authorities may be obtained from the following URL: <http://grid.fzk.de/ca/ra-list.html>.

### **1.3.3 End entities**

The GridKa-CA issues certificates for people, hosts and host applications/services involved in the experiments and projects listed in 1.3.

### **1.3.4 Applicability**

The issued certificate types and suitability are as follows:

Personnel, Server and Application certificates: authentication and communication encryption.

### **1.3.5 User Restrictions**

Certificates issued by the GridKa-CA are only valid in the context of the Grid research activities of the Forschungszentrum Karlsruhe and other German Research Institutes

involved in the projects listed in 1.3. Any other usage including financial transactions is strictly forbidden.

The ownership of a GridKa-certificate does not imply automatic access to any kind of computing resources.

### **1.4 Contact Details**

The GridKa-CA is managed by the Forschungszentrum Karlsruhe in Germany.  
The contact person for questions related to this document or GridKa-CA in general is:

Ursula Epting  
Forschungszentrum Karlsruhe in der Helmholtz-Gemeinschaft  
Institut fuer Wissenschaftliches Rechnen (IWR)  
Postfach 3640  
76021 Karlsruhe  
Germany  
Phone: (+ 49) 7247/82-6786  
Fax: (+ 49) 7247/82-7768  
E-Mail: [GridKa-CA@iwr.fzk.de](mailto:GridKa-CA@iwr.fzk.de)

## **2 General Provisions**

### **2.1 Obligations**

#### **2.1.1 CA Obligations**

GridKa-CA will:

- issue certificates based on validated requests
- accept certification requests validated by the RA
- deliver the certificate to end entity
- notify end entities three and one week in advance that the certificate is going to expire
- accept revocation requests from RA's or end entities
- issue and publish Certificate Revocation Lists (CRLs) according to the rules described in this document

#### **2.1.2 RA Obligations**

Authorized RA's will:

- authenticate entities requesting a certificate according to the procedures described in this document
- determine if the person has the right to have a GridKa-CA certificate
- send validated, signed certificate requests to GridKa-CA
- create and send validated revocation requests to the GridKa-CA
- follow the policies and procedures described in this document

#### **2.1.3 Subscriber Obligations**

- Read and accept the policies and procedures published in this document
- Generate a key pair using a trustworthy method
- Keep the private key safe and protected
- Use a strong passphrase with a minimum of 12 characters to protect the private key
- Notify the GridKa-CA/RA:
  - in case of possible private key compromise, key destruction or loss
  - when the certificate is no longer required

- when the information in the certificate becomes wrong or inaccurate

#### **2.1.4 Relying Party Obligations**

- Read and accept the policies and procedures published in this document
- See paragraph 4.4.9 on CRL checking requirements for relying parties
- Use the certificates for permitted purposes only

#### **2.1.5 Repository Obligations**

GridKa-CA will publish all information described in section 2.6.1 on its web server <http://grid.fzk.de/ca/>.

### **2.2 Liability**

GridKa-CA:

- guarantees only to control the identity of the subjects requesting a certificate or revocation request according to the procedures described in this document; no other liability, neither implicit nor explicit is accepted
- is run on a best effort basis and does not give any guarantees about the service security or suitability
- will not be held liable for any problems arising from its operation or use made of certificates it issues
- denies any financial or any other kind of responsibilities for damages or impairments resulting from its operation

### **2.3 Financial responsibility**

No financial responsibility is accepted.

### **2.4 Interpretation and Enforcement**

This document must be treated according to German law. Legal disputes arising from the operation of the GridKa-CA will be treated according to German Law.

### **2.5 Fees**

No fees are charged.

### **2.6 Publication and Repositories**

#### **2.6.1 Publication of CA Information**

GridKa-CA publishes the following information through its online repository:

- The GridKa-CA certificate
- The latest CRL
- A copy of this document and copies of all previous documents
- Other relevant information

#### **2.6.2 Frequency of Publication**

New information will be published as soon as available.

CRLs will be published as soon as issued and at least every month.

#### **2.6.3 Access Controls**

GridKa-CA does not impose any access control restrictions to the information available at its web site, which includes the CA certificate, latest CRL and a copy of this document containing the CP and CPS.

The GridKa-CA web site is maintained in a best effort basis. Excluding maintenance shutdowns and unforeseen failures the site should be available on a 24 hours per day, 7 days per week basis.

GridKa-CA may impose a more restricted access control policy to the repository at its discretion.

#### **2.6.4 Repositories**

The GridKa-CA online repository is available at <http://grid.fzk.de/ca>.

#### **2.7 Compliance Audit**

The GridKa-CA may be audited by other trusted CA's to verify its compliance with the rules and procedures specified in this document. Any costs associated to such an audit must be covered by the requesting party.

#### **2.8 Confidentiality**

GridKa-CA collects personal information about the subscribers (e.g. full name, organization, a copy of the identity card, telephone number, e-mail-address and in case of a RA a copy of the handwritten signature). These data will be protected according to the German Law.

##### **2.8.1 Types of information to be kept confidential**

All information about subscribers that is not present in the certificate and CRL is considered confidential and will not be released outside.

##### **2.8.2 Types of information not considered to be confidential**

Information included in issued certificates and CRLs (Full Name, email-address, shortform of the organization) issued by the GridKa-CA is not considered confidential.

##### **2.8.3 Disclosure of certificate revocation/suspension information**

If a certificate has to be revoked because of private-key-compromise GridKa-CA may notify:

- The person holding the certificate (personnel or host or service)
- Known relying parties

##### **2.8.4 Release to law enforcement officials**

In case of law enforcement, officials will be allowed to inspect the collected personal information after exhibition of regular warrant.

##### **2.8.5 Release as part of civil discovery**

In case of civil discovery, personal information will not be revealed.

##### **2.8.6 Disclosure upon owner's request**

Personal information will be revealed upon owner's request.

##### **2.8.7 Other information release circumstances**

Information about the holder of a certificate may be released to site-managers of relying parties under certain circumstances. In each case the holder of the certificate has to give his/her accordance.

## **2.9 Intellectual Property Rights**

This document is based on the following sources:

RFC 2527 [2]

EuGridPMA Minimum Requirement [4]

INFN Certificate Policy and Certificate Practice Statement [5]

LIP Certificate Policy and Certificate Practice Statement [6]

Cern Certificate Policy and Certificate Practice Statement [7]

CNRS Certificate Policy and Certificate Practice Statement [8]

The GridKa-CA claims no intellectual property rights on issued certificates, practice/policy specifications, names or keys.

## **3 Identification and Authentication**

### **3.1 Initial Registration**

#### **3.1.1 Types of Names**

To each entity the GridKa-CA assigns a Distinguished Name (DN, X.500) that identifies each entity uniquely. The DN is inserted in the subject field of the issued certificate to bind the entity to the certificate. The DN must be a non-empty printable string.

Following naming attributes may be used in entities' DN. See also 7.1.4

##### **3.1.1.1 Country**

Necessity: Optional

Comment: For personal certificates, this is the country of residence of the subscriber. For server/application certificates, it is the country where the server/application is located.

##### **3.1.1.2 Organization**

Necessity: Mandatory

Comment: For personal certificates and server/application certificates the name of the Organization is "GermanGrid".

##### **3.1.1.3 Organizational Unit**

Necessity: Mandatory

Comment: For personal certificates, this is a shortform of the official name of the institution or organizational unit or department employing the subscriber. For server/application certificates, it is a shortform of the official name of the organizational unit or department running the server/application.

##### **3.1.1.4 Name (Common Name)**

Necessity: Mandatory

Comment: For personal certificates it is the first name followed by the surname as presented in the identity card issued by the government or the organization the person belongs to. For server certificates it is the fully qualified domain name of the server maybe with the prefix „host/“. For application certificates it is the fully qualified hostname where the application is running prefixed with the name of the application „service/“.

### **3.1.2 Need for names to be meaningful**

The Subject Name in a certificate must have a reasonable association with the authenticated name of the subscriber.

### **3.1.3 Rules for interpreting various name forms**

See Section 3.1.1 and 3.1.2

### **3.1.4 Uniqueness of Names**

The distinguished name for each certificate must be unique. In case of real subject name duplication, additional numbers and/or letters will be appended to the distinguished name to guarantee uniqueness.

### **3.1.5 Name claim dispute resolution procedure**

Name claim disputes will be solved by the GridKa-CA

### **3.1.6 Recognition, authentication and role of trademarks**

No stipulation

### **3.1.7 Method to Prove Possession of Private Key**

GridKa-CA is currently not proving the possession of the private key relating to certificate requests.

### **3.1.8 Authentication of Organization Identity**

GridKa-CA/RA verifies the identity of organizations by checking:

- that the organization is known to be part of the grid-computing projects or related experiments (mentioned in 1.3) by checking with the Institute Manager or the Grid-Department-Manager of the Forschungszentrum Karlsruhe.
- that the organization is operating in Germany, by checking official contact information.

### **3.1.9 Authentication of Individual Identity**

Authorized RA's are verifying the identity of a person by

- Personal contact checking the identity card, comparing photograph and registering the number of the identity piece or keeping a copy of the identity card.
- If the RA is located at a distant organization there are two different options:
  - the RA keeps a copy of the identity card and sends the request per email to GridKa-CA/RA signed with his/her personal certificate
  - or
  - the RA sends the copy of the identity card, manually signed per post to the GridKa-CA/RA. If any doubts exist that the copy couldn't be correct the GridKa-RA can contact the RA of the organization to get some further proof. The GridKa-RA then calls the requestor, using the indicated telephone number (it must belong to the range of the assigned organization and must not be a private number of the individual). During the call digital fingerprints or content data can be compared.

For natural persons the subject name must be conforming to the name in the identity card.

In case the entity to be certified is a machine or a service the person in charge has to fulfil the process defined in the section above and give prove that he/she is adequately authorized. Furthermore it will be checked if IP-adress corresponding to the full qualified domain name is within the range of the requesting organization.

The GridKa-RA shall record the issuance of each certificate, containing

- the identity of the person performing the identification
- the number and type of the identity card or the number of the copy of the identity card which corresponds to the serial number of the certificate.
- whether the contact was personal or by post and phone
- the date and time of the verification or in case any reasons why the verification failed
- the name of the RA which signed the copy of the identity card or the electronic request.

### **3.2 Routine Rekey**

Rekey before expiration can be accomplished by sending a rekey request based on a new public key. It will be checked with the distant RA if the requestor has still the right to receive a certificate. Rekey after expiration follows the same authentication procedure as for a new certificate.

### **3.3 Rekey After Revocation**

Rekey after revocation follows the same rules as an initial registration.

### **3.4 Revocation Request**

Certificate revocation requests should be submitted by written form signed manually or E-mail sent to GridKa-CA@iwr.fzk.de signed with a valid GridKa-CA certificate. The CA inspects the signature electronically or based on the declaration of identity mentioned in 3.1.9

## **4 Operational Requirements**

### **4.1 Certification Application**

The minimum key length for all certificates is 1024 bits. The default validity period is 1 year and one month. Each applicant must generate its own key pair using either Globus grid-cert-request, OpenSSL [9] (or similar software) or a secure Online-Procedure provided by GridKa-CA.

Certificate requests in PEM-format are sent by e-mail to GridKa-CA@iwr.fzk.de. Depending on if the requester is a person or a machine or a service the procedures outlined in 3.1.9 are applied.

Help on the configuration of Globus/OpenSSL files are available from Website of the Forschungszentrum Karlsruhe. Non-conforming requests won't be accepted.

### **4.2 Certificate Issuance**

GridKa-CA issues the certificate if, and only if, the authentication of the subject is successful according to 3.1.9. The certificate will be sent to the applicant by (signed) e-mail or the applicant will be informed about the reason why the certificate couldn't be issued.

### **4.3 Certificate Acceptance**

Not defined.

### **4.4 Certificate Suspension and Revocation**

#### **4.4.1 Circumstances for Revocation**

A certificate will be revoked in the following circumstances:

- The subscriber's private key has been lost or is suspected to be compromised
- The information in the certificate is wrong or inaccurate
- The subject has failed to comply with the rules in this policy
- The subscriber no longer needs the certificate to access relying parties' resources
- The system to which the certificate has been issued has been retired

#### **4.4.2 Who can request revocation**

- The revocation of the certificate can be requested by:
- The certificate subscriber or in case of host/application certificates each person which is responsible for the host/service.
- Any other entity presenting proof of knowledge of the private key compromise or of the modification of the subscriber's data or relation with GridKa
- GridKa-CA/RA

#### **4.4.3 Procedure for Revocation Request**

The entity requesting the certificate must send the revocation request by signed e-mail to the GridKa-CA/RA. If this is not possible the CA/RA must be contacted directly. Authentication can be performed as described in 3.1.9.

#### **4.4.4 Circumstances for Suspension**

Not defined.

#### **4.4.5 Who can request suspension**

Not defined.

#### **4.4.6 Procedure for suspension request**

Not defined.

#### **4.4.7 Limits on Suspension Period**

Not specified.

#### **4.4.8 CRL Issuance Frequency**

CRLs are issued after every certificate revocation or at least every 30 days.

#### **4.4.9 CRL Checking Requirements for Relying Parties**

A relying party must verify a certificate against the most recent CRL issued, in order to validate the use of the certificate.

#### **4.4.10 Online Revocation/status Checking Availability**

Not Implemented.

#### **4.4.11 Online Revocation Checking Requirements**

Not Implemented.

#### **4.4.12 Other Forms of Revocation Advertisement**

None.

#### **4.4.13 Requirements for Relying Parties on Other Forms of Revocation Advertisement**

None.

#### **4.4.14 Variations of the Above in Case of Private Key Compromise**

Not defined.

### ***4.5 Security Audit Procedures***

#### **4.5.1 Types of Events Audited**

- opening and closing of the cabinet which protects the ca-machine
- boots of the equipment
- interactive logins on this system

#### **4.5.2 Processing Frequency of Audit Logs**

The log files are analysed at least once a month.

#### **4.5.3 Retention Period for Audit Logs**

The minimum retention period is 3 years.

#### **4.5.4 Protection of Audit Logs**

Only authorized CA personnel is allowed to view and process audit logs. Audit logs are copied to an off-line medium.

#### **4.5.5 Backup Procedures**

Audit log files are copied to an off-line medium, which is saved in safe storage.

#### **4.5.6 Accumulation System**

The audit log accumulation system is internal to the GridKa-CA.

#### **4.5.7 Vulnerability Assessments**

Not defined.

### ***4.6 Records Archival***

#### **4.6.1 Types of Events Recorded**

The following events are recorded in either digital or paper-based archives:

- Certification requests
- Revocation requests
- Identity verification procedures
- Issued certificates
- Issued CRLs
- E-mail messages sent and received by the GridKa-CA/RA

#### **4.6.2 Retention Period for Archives**

Logs will be kept for a minimum of 3 years.

#### **4.6.3 Protection of Archive**

Records are backed up on removable media, which are stored in a room with restricted access.

#### **4.6.4 Archive Backup Procedures**

See Section 4.6.3

#### **4.6.5 Time-stamping Requirements**

Not defined.

#### **4.6.6 Archive Collection System**

The archive system is internal to the GridKa-CA.

#### **4.6.7 Procedures to Obtain and Verify Archive Information**

Not defined.

#### **4.7 Key Changeover**

CA's private signing key is changed periodically. To avoid interruption of validity of all subordinate keys the new CA-key should be generated one year before the old one loses validity. From that point on new certificates are signed by the new CA-key. The new CA-key is posted in the on-line repository.

#### **4.8 Compromise and Disaster Recovery**

If the CA private key is compromised - or suspected to be - the CA will:

- Inform subscribers, RAs and other relying parties.
- Terminate the issuance and distribution of certificates and CRLs
- Notify relevant security contacts

#### **4.9 CA Termination**

Upon termination the GridKa-CA will:

- Notify subscribers, RAs and relying parties
- Terminate the issuance and distribution of certificates and CRLs
- Notify relevant security contacts
- Notify widely as possible the end of the service

### **5 Physical, Procedural, and Personnel Security Controls**

#### **5.1 Physical Security Controls**

The CA operates in a controlled environment, where access is restricted to authorized people. The CA-machine is additionally protected by a secure cabinet where access is restricted to CA-personnel.

##### **5.1.1 Site Location**

The GridKa-CA is located at the Institut fuer Wissenschaftliches Rechnen (IWR) of the Forschungszentrum Karlsruhe.

##### **5.1.2 Physical Access**

Physical access to the Hardware is restricted to authorized CA-personnel. All removable media is stored in a secure cabinet.

##### **5.1.3 Power and Air Conditioning**

The building has an air conditioning system and the CA machines are connected to an UPS system.

#### **5.1.4 Water Exposures**

No stipulation.

#### **5.1.5 Fire Prevention and Protection**

The building has a fire alarm system.

#### **5.1.6 Media Storage**

The GridKa-CA key and Backup copies of CA related information is kept in several removable storage media.

#### **5.1.7 Waste Disposal**

No stipulation.

#### **5.1.8 Off-site Backup**

No stipulation.

### ***5.2 Procedural Controls***

Not defined.

### ***5.3 Personnel Security Controls***

#### **5.3.1 Background Checks and Clearance Procedures for CA Personnel**

CA personnel is recruited from the Grid Infrastructure and Services team.

#### **5.3.2 Background Checks and Security Procedures for other Personnel**

No other personnel is authorized to access CA facilities without the physical presence of CA personnel.

#### **5.3.3 Training Requirements and Procedures**

Not defined.

#### **5.3.4 Training Period and Retraining Procedures**

Not defined.

#### **5.3.5 Frequency and Sequence of Job Rotation**

Job rotation is not performed.

#### **5.3.6 Sanctions Against Personnel**

Not defined.

#### **5.3.7 Controls on Contracting Personnel**

Not defined.

#### **5.3.8 Documentation Supplied to Personnel**

- Copies of this document
- GridKa-CA Operation Manual

## **6 Technical Security Controls**

### **6.1 Key Pair Generation and Installation**

#### **6.1.1 Key Pair Generation**

Keys for the GridKa-CA are generated by CA staff on a dedicated machine not connected to any kind of network. The software package is OpenSSL (0.9.6.b) or higher. Each subscriber must generate her/his own key pair. The GridKa-CA doesn't generate any keys for entities.

#### **6.1.2 Private Key Delivery to Entity**

No stipulation.

#### **6.1.3 Public Key Delivery to Certificate Issuer**

Public keys are delivered by E-mail, SSL over http or/and floppy.

#### **6.1.4 CA Public Key Delivery to Users**

The CA certificate can be downloaded from the GridKa-CA web site (<http://grid.fzk.de/ca/>).

#### **6.1.5 Key Sizes**

- The minimum key length for a personnel or server/service certificate is 1024 bit.
- The CA key length is 2048 bits.

#### **6.1.6 Public Key Parameters Generation**

Not defined.

#### **6.1.7 Parameter Quality Checking**

Not defined.

#### **6.1.8 Hardware/software key generation**

Key generation is performed by software.

#### **6.1.9 Key Usage Purposes**

Keys may be used for authentication, non-repudiation, data encipherment, message integrity, session establishment and signing of proxy certificates.

The GridKa-CA private key can only sign certificates and CRLs.

### **6.2 Private Key Protection**

#### **6.2.1 Private Key (n out of m) Multi-person Control**

Not defined.

#### **6.2.2 Private Key Escrow**

Not defined.

#### **6.2.3 Private Key Archival and Backup**

The GridKa-CA private key is kept encrypted in multiple copies in floppy disks or CD-ROMs in safe places. The passphrase is, for emergencies in a sealed envelope kept in a secure cabinet. It's controlled from time to time if the envelope is unopened.

### **6.3 Other Aspects of Key Pair Management**

The GridKa-CA certificate has currently a validity of 11 years and will expire on Tuesday, 10th June 2014.

### **6.4 Activation Data**

The GridKa-CA private key is protected by a passphrase of at least 15 characters length.

### **6.5 Computer Security Controls**

#### **6.5.1 Specific Security Technical Requirements**

- CA operating systems are maintained at a high level of security by applying all the relevant patches
- Monitoring is performed to detect unauthorized software changes
- CA systems configuration is reduced to the base minimum

#### **6.5.2 Computer Security Rating**

Not defined.

### **6.6 Life Cycle Security Controls**

Not defined.

### **6.7 Network Security Controls**

- The CA signing machine is kept off-line;
- CA machines other than the signing machine are protected by a firewall.

### **6.8 Cryptographic Module Engineering Controls**

Not defined.

## **7 Certificate and CRL Profile**

### **7.1 Certificate Profile**

#### **7.1.1 Version Number**

X.509 v3.

#### **7.1.2 Certificate Extensions**

- CA-certificate:

X509v3 Basic Constraints: critical CA:TRUE  
X509v3 Subject Key Identifier:  
C6:75:C9:28:AC:D1:0B:FC:3C:FF:B9:B5:1E:D3:5F:3B:80:62:12:34  
X509v3 Authority Key Identifier:  
keyid:C6:75:C9:28:AC:D1:0B:FC:3C:FF:B9:B5:1E:D3:5F:3B:80:62:12:34  
DirName:/C=DE/O=GermanGrid/CN=GridKa-CA serial:00  
X509v3 Key Usage: critical Certificate Sign, CRL Sign  
X509v3 Issuer Alternative Name: email:gridka-ca@iwr.fzk.de  
X509v3 CRL Distribution Points: URI:http://grid.fzk.de/ca/gridka-crl.pem  
Netscape Cert Type: SSL CA, S/MIME CA, Object Signing CA  
Netscape CA Revocation Url: http://grid.fzk.de/ca/gridka-crl.pem  
Netscape Base Url: http://grid.fzk.de/ca  
Netscape CA Policy Url: http://grid.fzk.de/ca/gridka-cps.pdf

- User/Host/Service-certificates:

Basic Constraints: critical, CA FALSE

Key Usage: critical, Digital Signature, Non Repudiation, Key Encipherment, Data Encipherment

Subject Key Identifier: unique identifier of the subject (hash)

Authority Key Identifier: unique identifier of the issuer

Subject Alternative Name: subject's e-mail address or FQDN

Issuer Alternative Name: issuer's e-mail address

CRL Distribution Points: URL:<http://grid.fzk.de/ca/>

Certificate Policies: The OID of the CP/CPS

Netscape Cert Type: SSL Client or SSL Server, S/MIME

Netscape Comment: CP/CPS version

Netscape Base Url: <http://grid.fzk.de/ca>

Netscape Revocation Url: <http://grid.fzk.de/ca/gridka-crl.pem>

Netscape CA Policy Url : <http://grid.fzk.de/ca/gridka-cps.pdf>

### 7.1.3 Algorithm Object Identifiers

Not defined.

### 7.1.4 Name Forms

Issuer: C=DE, O=GermanGrid, CN=GridKa-CA

Subject: [C=DE], O=GermanGrid, OU=XXX, CN=Subject-Name

Where XXX is the shortform of the name of the institution, the user or host/service are related to - see 1.3. A current list of all available OU's can be obtained at <http://grid.fzk.de/globus/orga.html>

### 7.1.5 Name Constraints

see 7.1.4

### 7.1.6 Certificate Policy Object Identifier

The certificate policy object identifier (OID) for this document is:

1.3.6.1.4.1.2614.5548.1.1.1.4

Version 1.4

The structure is as follows:

IANA	1.3.6.1.4.1.
Forschungszentrum Karlsruhe	2614.
Internal number	5548.
CA	1.
CP/CPS	1.
Version number, major	1.
Version number, minor	4

### 7.1.7 Usage of Policy Constraints Extensions

No stipulation

### 7.1.8 Policy Qualifier Syntax and Semantics

No stipulation

## **7.2 CRL Profile**

### **7.2.1 Version**

X.509 v1

### **7.2.2 CRL and CRL Entry Extensions**

Not defined.

## **8 Specification Administration**

### **8.1 Specification Change Procedures**

Users will not be warned in advance of changes to GridKa-CA 's policy and CPS. Relevant changes will be made as widely available as possible.

### **8.2 Publication and Notification Procedures**

The GridKa-CA policy is available at <http://grid.fzk.de/ca/gridka-cps.pdf>  
Previous versions can be found at <http://grid.fzk.de/ca/>

### **8.3 CPS Approval Procedures**

Not defined.

## **9 Bibliographie**

- [1] Forschungszentrum Karlsruhe in der Helmholtz-Gemeinschaft, <http://www.fzk.de>
- [2] S. Chokani and W. Ford „Internet X.509 Infrastructure Certificate Policy and Certification Practices Framework“, RFC 2527, March 1999 – <http://www.ietf.org/rfc/rfc2527.txt>
- [3] S. Bradner, „Key words for use in RFCs to Indicate Requirement Levels“, RFC 2119, March 1997 – <http://www.ietf.org/rfc/rfc2119.txt>
- [4] EuGridPMA - <http://eugridpma.org/guidelines/EUGridPMA-minreq-classic-20040402-3-1.pdf>
- [5] INFN Certificate Policy and Certificate Practice Statement - <http://security.fi.infn.it/CA/CPS/>
- [6] LIP Certificate Policy and Certificate Practice Statement - <http://www.lip.pt/ca/ca-policy.html>
- [7] Cern Certificate Policy and Certificate Practice Statement - [https://edms.cern.ch/file/431705/LAST\\_RELEASED/CP-CPS.pdf](https://edms.cern.ch/file/431705/LAST_RELEASED/CP-CPS.pdf)
- [8] CNRS Certificate Policy and Certificate Practice Statement - <http://www.urec.cnrs.fr/igc/Doc/Datagrid-fr.policy.pdf>
- [9] The OpenSSL Project – <http://openssl.org>